











92 463 W3 V.1

16. I chaus Coll.

AID

206

TO THE

# IDENTIFICATION

OF

# INSECTS.

EDITED BY

CHARLES OWEN WATERHOUSE.

LITHOGRAPHS BY
EDWIN WILSON.

VOL. I.

LONDON:

E. W. JANSON, 35, LITTLE RUSSELL STREET, W.C. 1880-82.

#### Zondon :

PRINTED BY F. T. ANDREW,
ALBION WORKS, ALBION PLACE, LONDON WALL.

## PREFACE.

In issuing this first volume of 'Aid,' I wish to call attention to the following sentence in my Prospectus, viz:—"There will be a Systematic Index, together with such remarks on the insects as may appear absolutely necessary, but the Editor is anxious to avoid adding to the already voluminous Entomological Literature; the present work being intended to elucidate that which has been already written." I mention this for the reason that some persons have wished that the Plates were accompanied by Letter-press or descriptions. To reproduce all the original descriptions would have added so greatly to the expense of producing the work, that it would have been impossible to have given the number of Plates at the small price now asked; and extracts from descriptions so frequently lead to error that I have determined in every case to refer to the original works for all In preparing the Plates, however, a few notes on some information. of the species have (as I anticipated) appeared to me to be necessary, and these I give at the end of the Systematic Index.

With the exception of Plates 1, 4, 16, 17, 20, 23, 27, 31, 32, 42, 48, 59, 61, 89 and 98, all the figures are taken from original types. Plate 18 is figured from the type in the University Museum at Oxford. Plates 30, 37, 39, 47, 70 and 97, are from types in the Museum of the

Royal Dublin Society. The remainder are from specimens in the possession of the following gentlemen, to whom I tender my sincere thanks for the kindness with which they have placed their specimens at my disposal, and for the interest which they have taken in the work.

Mr. H. W. Bates, plate 60.

Mr. A. G. Butler, plate 21.

Mr. W. L. Distant, plates 6, 7, 24, 41, 46, 49, 50, 58, 82, 91, 100.

Mr. T. Edmonds, plates 79, 80, 87, 96.

Mr. A. Fry, plates 2, 5, 14.

Rev. H. S. Gorham, plate 45.

Mr. Higlett, plate 88.

Mr. Horniman, plates 55, 69.

Baron Hügel, plate 36.

Mr. M. Jacoby, plates 54, 62.

Mr. E. W. Janson, plates 43, 51, 52, 53, 72, 73, 76, 84, 85, 86, 95.

Mr. O. Janson, plates 29, 59, 94.

Mr. W. F. Kirby, plate 38.

Mr. R. McLachlan, plates 65, 66, 67, 71, 90, 99.

Mr. R. Meldola, plate 63.

Mr. F. Moore, plates 8, 9, 10, 11, 12, 56, 68, 81.

Mr. F. P. Pascoe, plates 19, 28, 34, 35, 44, 74, 75, 77, 78, 83, 92, 93.

Mr. E. Saunders, plates 25, 33.

Sir Sidney Smith Saunders, plates 22, 40.

Colonel Shelley, plates 3, 13.

Lord Walsingham, plates 57, 64.

# SYSTEMATIC INDEX.

## COLEOPTERA.

	GEODEPHAGA.		
	Cicindelidæ.		
1.	Styphloderma asperatum	• • •	Plate 51.
2.	Tetracha australis	* * *	Plate 17.
	Carabidæ.		
3,	Casnonia aliena		Plate 92.
4.	Percosoma sulcipenne		Plate 1.
	NECROPHAGA.		
	Colidiidæ.		
õ.	Rhytinotus squamulosus	• • •	Plate 42.
	Parnidæ.		
6.	Psephenus Darwinii		Plate 26.
	LAMELLICORNIA.		
	Scarabæidæ.		
7.	Cephalodesmius laticollis	***	Plate 93.
	Dynastidæ.		
8.	Brachysiderus quadrimaculatus	,	Plate 43.
	Cetoniidæ.		
9.	Eutelesmus simplex	* * *	Plate 13.
10.	Ischnostoma rostrata		Plate 94.
11.	Eupœcila eburneoguttata		Plate 59.
12.	Coptomia opalina		Plate 18.
	SERRICORNIA.		
	Buprestidæ.		
13,	Chrysochroa Lordi		Plate 84.
14.	Nascio carissima		Plate 95.

15.	Alaolacon cyanipennis	Elateridæ.	•••	•••	Plate 52.
	Table 1				
16.	Genecerus cervinus	Cebrionidæ.	•••	•••	Plate 73.
		Cleridæ.			
17.	Clerus lepidus	***	• • •	• • •	Plate 76.
18.	Epiphlœus velutinus		• • •	• • •	Plate 2.
19.	Lemidia obliquefasciata	l	• • •	• • •	Plate 14.
20.	Callimerus pulchellus			• • •	Plate 45.
		HETEROMERA.			
		Adesmiidæ.			
21.	Adesmia eburnea	100 000	• • •	•••	Plate 19.
		m 1 11			
22.	Nosoderma cordicolle	Zopheridæ.	• • •		Plate 3.
. <u></u>	11030dc1iiiii coldicolic	• • • • •	•••	***	i mee o.
	W	Ulomidæ.			T01 : 4 #
	Latheticus oryzæ				Plate 15.
24.	Toxicum grande	• • • • •	• • •	• • •	Plate 34.
	R	HYNCHOPHORA	<i>1</i> .		
		Apoderidæ.			
25.	Apoderus tenuissimus		• • •		Plate 28.
		Naupactidæ.			
26.	Naupactus stauropteru			***	Plate 27.
	1				
0.7	Dl 4 11 11 11 11 11 11 11 11 11 11 11 11 1	Cyphidæ.			D1 1 20
27.	Platyomus cultricollis	***	• • •	***	Plate 20.
20	(1. 1	Entimidæ.			731 / W/
28.	Cydianirus ornatus		• • •		Plate 74.
		Cholidæ.			
29.	Cholus hæmatostictus	• • • • • •	• • •		Plate 35.

		Zygo	pidæ.			
30.	Copturus eximius		•••	• • •	•••	Plate 75.
		LONGIC	CORNIA			
		Ceram	bvcidæ			
31.	Plectogaster pectinico	rnis	• • • •		• • •	Plate 60.
32.	Epania pusio				• • •	Plate 77.
33,	Earinis pieta	• • • •		• • •		Plate 78.
34.	Pachyteria Hügeli				• • •	Plate 36.
35.	Chenoderus tricolor	• • •	• • •	• • •	• • •	Plate 4.
		Lam	iidæ.			
36.	Peribasis princeps	•••	• • •		• • •	Plate 44.
37.	Lachnia subcincta		• • •			Plate 5.
38.	Cyclopeplus cyaneus	• • •		• • •		Plate 61.
		РНҮТО	PHAGA.	,		
		Chryso	melida	Э.		
39.	Doryphora porosa			• • •		Plate 54.
40.	Doryphora costata		• • •	• • •		Plate 62.
		Cassi	didæ.			
41.	Dolichotoma gloriosa		•••			Plate 53.
		PSEUDO	TRIMER	A.		
		Coccin	ellidæ.			
42.	Epilachna Buckleyi					Plate 86.
		Eroty	rlidæ.			
43.	Pselaphicus nicaragua	e				Plate 72.
		Langi	iriidæ.			
44.	Callilanguria luzonica				•••	Plate 85.
	Н	YMEN	ЭРТЕН	3 1		
		Tenthre				
45.	Parastatis indica			***		Plate 68.
46.	Hylotoma interstitiali	s			• • •	Plate 81.

Chalcididæ.									
47.	Halticella osmicida	•••	• • •	• • •	• • •	Plate 40.			
	Chrysididæ.								
48.	Homalus nanus			• • •	•••	Plate 22.			
	T.1	EPIDO	рттр	Λ					
		Nymph		$\Lambda$ .					
49.	Opsiphanes bogotanus	мушри	andæ.			Plate 55.			
50.	Diadema antevorta					Plate 69.			
51.	Tanaëcia flora	• • •	•••		•••	Plate 21.			
52.	Castalia chandra					Plate 8.			
· - ·									
53.	Scolitantides plumbea	Lycæi	n1αæ.	• • •		Plate 79.			
54.	Iolaus (Purlisa) gigan		•••		•••	Plate 46.			
01.	Tollido (1 diffica) gigan			•••	•••	1 1000 100			
EE	mi i i i	Pier				DL 4. 10			
55.	Thyca berinda	• • •	• • •		• • •	Plate 12.			
		Hespe	eridæ.			773			
56.	Entheus Marshalli	•••	• • •	• • •	• • •	Plate 37.			
57.	Butleria sotoi	• • •	• • •	• • •	• • •	Plate 80.			
58.	Butleria cauquenensis			• • •		Plate 87.			
59.	Butleria vicina	• • •		• • •	• • •	Plate 96.			
		Sphin	gidæ.						
60.	Pergesa castanea		•••			Plate 56.			
61.	Chærocampa johanna				• • •	Plate 38.			
62.	Chærocampa aspersata	•••			• • •	Plate 97.			
63.	Pholus hesperidum		• • •	• • •		Plate 47.			
64.	Protoparce dalica		• • •	• • •	• • •	Plate 70.			
	•	A ma ===	ati da						
65.	Ægocera tripartita	Agari	shaæ.			Plate 39.			
(777)	22-5000tti oriputtiti III					2 11110 1701			
0.0	Histioëa Meldolæ		iidæ.			Plate 63.			
66.	Histioëa Meldolæ	• • •			• • •	Tate 65.			

	Satur	niidæ.			
67.	Antheræa macrophthalma	• • •	• • •	• • •	Plate 88.
68.	Eudæmonia argiphontes	• • •	• • •	•••	Plate 30.
	Lasioca	ampidæ.			
69.	Brahmæa nigrans	_	• • •		Plate 29.
7().	Ormiscodes crinita	• • •		• • •	Plate 98.
71.	Catocephala? nigrosignata		• • •	• • •	Plate 89.
	Noct	uidæ.			
72.	Gonophora indica		• • •	• • •	Plate 9.
73.	Auchmis sikkimensis			• • •	Plate 13.
74.	Calliodes lanipes		• • •	• • •	Plate 48.
	Geom	etridæ.			
75.	Euschema andamana				Plate 11.
	Torts	ricidæ.			
76.	CV-4			• • •	Plate 64.
	Tin	eidæ.			
77.			• • •		Plate 57.
		LID 4			
	DIPT				
78	Volucella obesa Syrpi				Plate 31.
10.			• • •	• • •	Tate of.
	NEURO	PTERA.			
	Ascala				
79.	Helcopteryx rhodiogramma				Plate 67.
80.	Ascalaphus Ramburi		• • •	• • •	Plate 99.
	Osmy	rlidæ.			
81.	Osmylus Langii		• • •		Plate 71.
82.	Osmylus multiguttatus		• • •	• • •	Plate 90.
	Libell				
83.	Palpopleura fasciata	• • •	• • •	• • •	Plate 32.

Calopterygidæ.										
84, 8	5. Euthore mirabilis	• • •	• • •	• • •	Pl	ates 65, 66.				
ORTHOPTERA.										
		Acridi	iidæ.							
86.	Opsomala filiformis		• • •	• • •	•••	Plate 23.				
	III	мтрт	T D A							
	HEMIPTERA.  Pentatomidæ.									
87.	Aplerotus maculatus	ntator	niaæ.			Plate 16.				
88.	Bathycelia distincta		•••		•••	Plate 7.				
00.					• • •	I mee 1.				
0.0		Edessi				D1-4- 10				
89.	Tesseratoma æthiops		• • •	• • •	• • •	Plate 49.				
	Phyl	locepl	halidæ	•						
90.	Macrina dilatata	-			• • •	Plate 6.				
		Coreid	l ga							
91.	Euagona juno	•••				Plate 82.				
92.	Alydus tangiricus		•••	• • •		Plate 33.				
93.	Harmostes incisuratus					Plate 91.				
00.										
0.1		Capsid				Plate 25.				
94.	Myrmecoris Saundersi	• • •	• • •	• • •	• • •	1 mie 20.				
	HC	MOP	TERA							
		Cicad		•						
95.	Cicada kuruduadua		···		• • •	Plate 100.				
		Cercoi	nida							
96.	Tomaspis nyassæ		Jiuæ.			Plate 24.				
97.	Cosmoscarta andamana	• • •				Plate 58.				
()))		Fulgo				Plate 50.				
98.	Aphana novemmaculata			• • •	• • •					
99.	Polydictya maculata	• • •	• • •	•••	• • •	Plate 41.				
4.0	Flatidæ.									
100.	Pœciloptera consociata	• • •	• • •	• • •	***	Plate 83.				

#### STYPHLODERMA ASPERATUM. Plate 5.

The specimen figured is a female. The male appears always to have two rusty yellow spots on each elytron. The anterior and posterior margins of the thorax are beset with minute granules, a character which distinguishes it from S. lavicolle, Waterhouse, which has a smooth thorax.

#### Tetracha australis. Plate 17.

This beautiful species was found far in the interior of Australia in considerable numbers, by Mr. F. G. Waterhouse, the Curator of the South Australian Museum. The figure is taken from an example sent by him to the Editor. It was described in Australia by M. Castelnau under the name Tetracha Waterhousei, but specimens having been sent to Europe, it was first described by Baron Chaudoir, under the name T. australis.

#### Casnonia aliena. Plate 92.

This species has an impressed arcuate line on each side of the thorax, a character in which it appears to differ from all the other species of the genus.

#### PERCOSOMA SULCIPENNE. Plate 1.

The specimen from which this insect is figured was one of the same series as that from which Mr. Bates obtained his example.

#### PSEPHENUS DARWINII. Plate 26.

The figure is taken from the specimen described by the Editor. It was taken by Dr. Darwin some fifty years ago in Rio Janeiro. He found some specimens in water under stones. The only example which has been preserved was until lately in Mr. G. R. Waterhouse's collection, but is now in the British Museum.

#### RHYTINOTUS SQUAMULOSUS. Plate 42.

This singular insect is figured from an example in Mr. Pascoe's collection.

Brachysiderus quadrimaculatus. Plate 43.

This most interesting species in now in the possession of Mr. David Sharp, of Thornhill, Dumfries.

#### EUPŒCILA EBURNEOGUTTATA. Plate 59.

Figured from an example in Mr. Janson's collection. This species has received a second name, *Lenosoma incana*, Mcleay, but M. Blanchard's has the priority. This species should be placed in the genus *Lenosoma*.

#### COPTOMIA OPALINA. Plate 18.

By the kindness of Professor Westwood, I am enabled to figure this species from the original type. It was described under the name Cetonia opalina, but in modern catalogues is placed in the genus Coptomia. In some continental collections this species is represented by a common species from Madagascar (Coptomia mutabilis, Waterhouse), from which it can at once be distinguished by the form of the sternal process (given on the right side of the plate), and by the striation of the pygidium, figured on the left side of the plate. The type specimen bears the label 'Mauritius?,' and I know of no authority for Madagascar as its true habitat, as given by Gory, although it seems more probable than Mauritius.

#### Genecerus cervinus. Plate 73.

Specimens of this species have lately been received at the British Museum, from Arabia.

#### CLERUS LEPIDUS. Plate 76.

Besides the type specimen figured, Mr. Janson has a second, smaller example, which differs in the absence of the spots at the middle of the elytra. To facilitate the determination of the species enlarged drawings are given of the antenna, of the front tarsus (on the left of the plate), and of the posterior tarsus on the right of the plate.

#### LATHETICUS ORYZÆ. Plate 15.

It is impossible at present to decide whence this species originally came, but its natural food appears to be rice, although it has been found in other grain. It has been received from India and Arabia, and on one occasion was taken in a sweeping net in a corn field in England.

#### Apoderus tenuissimus. Plate 28.

In the three males of this species which have come under my notice there is a slight variation in the length of the neck.

#### PLECTOGASTER PECTINICORNIS. Plate 60.

I consider this to be one of the most interesting species that I have had the opportunity of figuring. I only know of two specimens of the species, both females, in Mr. H. W. Bates' collection. The male is still unknown, and will probably have the antennæ still more strongly pectinated. There is in the British Museum an example (also a female), of an allied species from East Africa.

#### Epanio pusio. Plate 77.

The hairs on the posterior femora are much longer than in the figure they are represented to be.

#### LACHNIA SUBCINCTA. Plate 5.

The type specimen of this species is in Mr. A. Fry's collection. It is an insect which appears to have been overlooked by modern authors, as no mention is made of it in Lacordaire's 'Genera des Coléoptères,' nor in Gemminger and von Harold's 'Catalogus Coleopterorum.' It should be placed next to the genus *Tybalmia*.

#### CYCLOPEPLUS CYANEUS. Plate 61.

This species is figured from an example in Mr. Janson's collection. Some specimens are entirely blue.

#### HALTICELLA OSMICIDA. Plate 40.

This insect is parasitic upon *Osmia tridentata*. The upper figure represents the female: an enlarged view of the posterior leg is given on the right of the plate. The lower figure is the male.

#### Homalus nanus. Plate 22.

This small but most beautiful insect is parasitic upon *Nitelopsis* pisonoides. The specimen from which the figure is taken was bred from that insect by Sir Sidney Smith Saunders.

#### ANTHERÆA MACROPHTHALMA: Plate 88.

This species is figured from the type specimen, which is in very bad condition, some parts of the wings being almost destitute of scales. I think, however, that Mr. Wilson has given a very good representation of the insect as 'restored.'

#### EUDÆMONIA ARGIPHONTES. Plate 30.

Some copies of this plate were issued in which a small detached spot in the front wings was accidentally omitted. It is very small and should be between the dark basal stripe and the four discoidal spots.

#### Brahmæa nigrans. Plate 29.

As there are important characters in the markings of the wings on the underside of this species, one pair of wings has been represented as detached and reversed.

#### GONOPHORA INDICA. Plate 9.

This species was figured from the type specimen, which has imperfect antennæ, and is otherwise not in good condition; but it was the only example available.

### CALLIODES LANIPES. Plate 48.

This species is figured from an example determined by Mr. Butler. The body of the specimen was much mutilated, but I think is faithfully restored.

#### EUSCHEMA ANDAMANA. Plate 11.

I have seen several specimens of this species from the Andaman Islands. They differ somewhat from each other and from the type.

#### STIGMONOTA ERECTANA. Plate 64.

This species is closely allied to *S. internana*. The figure is taken from the unique example in Lord Walsingham's collection. Mr. Barrett states that this specimen was "taken by the Hon. Beatrice de Grey among broom (*Spartium scoparium*) in Norfolk."

#### OSMYLUS MULTIGUTTATUS. Plate 90.

The specimens of this species in Mr. McLachlan's collection vary somewhat. The spots are frequently larger than in the one figured. The wings have a beautiful green and pink iridescence which it is impossible to represent in a drawing.

#### BATHYCŒLIA DISTINCTA. Plate 7.

The type specimen from which this species is figured, wants the the two apical joints of the antennæ; these are, therefore, only indicated by dotted lines.

#### APHANA NOVEMMACULATA. Plate 50.

By an unfortunate oversight some copies of this plate were issued in which the *ninth* spot on the thorax was omitted. This should be at the extreme posterior point.

London, Feb. 24th, 1882.

# INDEX TO GENERA.

PLATE PLATE						LATE
Adesmia 19	Cyclopeplus	• • •	61	Nosoderma	• • •	3
Ægocera 39	Cydianirus		74	Opsiphanes	•••	55
Alaolacon 52	Diadema	• • •	69	Opsomala	• • •	23
Alydus 33	Dolichotoma	• • •	53	Ormiscodes	• • •	98
Antheræa 88	Doryphora	54,		Osmylus	71,	90
Antispila 57	Earinis	• • •	78	Pachyteria	• • •	36
Aphana 50	Entheus		37	Palpopleura	•••	32
Aplerotus 16	Epanea	• • •	7.7	Parastatis	• • •	68
Apoderus 28	Epilachna		86	Percosoma		1
Ascalaphus 99	Epiphlœus		2	Pergesa	• • •	56
Auchmis 10	Euagona		82	Peribasis	• • •	44
Bathycœlia 7	Eudæmonia		30	Pholus	• • •	47
Brachysiderus 43	Eupœcila		59	Platyomus	• • •	20
Brahmæa 29	Euschema	• • •	11	Plectogaster	• • •	60
Butleria 80, 87, 96	Eutelesmus		13	Pœciloptera		83
Callilanguria 85	Euthore	65,	66	Polydictya		41
Callimerus 45	Genecerus		73	Protoparce		70
Calliodes 48	Gonophora		9	Pselaphacus		72
Casnonia 92	Halticella	• • •	40	Psephenus		26
Castalia 8	Harmostes	* * *	91	Purlisa (Iole	uus)	46
Catocephala 89	Helcopteryx	•••	67	Rhytinotus		42
Cephalodesmius 93	Histioëa	•••	$\frac{63}{22}$	Scolitantides		79
Chærocampa 38, 97	Homalus	• • •	81	Stigmonota		64
Chenoderus 4	Hylotoma Ischnostoma	***	94	Styphloderm	a	51
Cholus 35	Lachnia	• • •	5	Tanaëcia		21
Chrysochroa 84	Latheticus	• • •	15	Tesseratoma		49
Cicada 100	Lemidia	•••	14	Tetracha		17
Clerus 76	Macrina		6	Thyca		12
Cosmoscarta 58	Myrmecoris		25	Tomaspis		24
Coptomia 18	Nascio	•••	95	Toxicum		34
Copturus 75	Naupactus		27	Volucella		31
	1					








Percosoma sculcipenne Eules, úlst Énte Lingvon, pút l' Tagrianne.





ing governous services of the services of the






The first of the second section of the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section of the second section is a second section of the second section of the second section is a second section of the section of the second section of the second section of the section of




Aid



ington i vi Eventua ugudu uli in vene kele





January Daniel






Macrina dilatata, *Distant, Ann & Mag. Nat. Hist., III., (1879), p.52* N. India






Bathyccelia distructa, *Distant, Ent Mo Mag, XIV. (1878) p 247,* W. Africa





Marin Markey Commence





Gonophora indica. *Moore Proc. Zool. Soc.(1867),p.44.* Darjeeling.












ਜਿੰਡ therta annamana. *Mare, Proc Too See Jos Top ਨੇ ਪੋਰ* Andaman Is






in to the state of the second of the second







El ambasta o mala del Mastrono de Abende Mac Membro de Mastrono Mastronos











Latheticus oryzee, Waterhouse, Ann & Mag.N. Hist., V (1880), p. 148. India, England, &c.





Aplerotus maculatus. *Dallas,Cat.Hem.Brit.Mus.,I.(1851),p 256.* Australia






Tetracha australis *Chaudoir, Cat.Coll.Cicind.(1865)p.63.* Interior of Australia







. (1971) และ Cp dina บ้าวการ เมื่อการเอาบท, Monograph, 1935 (ชาวี Mauritius






Adesmia, eburnea *Pasose, Journ, of Ent., II, (1866),p.449* Lake N' Gami





Platyomus cultricollis . *Germar, Ins. Sp. Nov ,(1824),p432* Brazil .






fanaëcia flora . *MR.Butler, Proc. Zool. Soc.,(1873),p 235* Penang .






instruction of the Standard India (Franklau) recolorum India (Booker)






Opsomala filiformis, Serville Hist Nat Orthop, (1839/p.593.





Tumaspis ryassæ Listoua,Truns Ent 80: 1575/n. 1577 Lake Tynsso






Myrmecoris Saundersi
Puton, Pet. Now Ent. (1974/164.56.)
Greece






Literatura de Millo. Notas de Adel Bracolo (Salas 1998) Torradaden






Naupactus stauropterus *Germai, Ins. Sp. Nov., (1824),p.419.* Brazil.




























Ayrikas tangunnua Com*āers,EntMo,Mag,XIV,(\*977 %* ) -Tangjena









Thoms brewer is in it. Press, from Limited & Tyren in Bogora





Figurmenta Hopus Longram (m. 1222), m. Homillong (m. 15 Sta





En mer a Navarulla D. N., Sc. Proc. Hoy Dublur, Soc. II (1880) p. 339 Trinidad








.




Ægocera tripartita.
SciProcRoy.Dublin.Soc,II. (1880), p 339.
india






Halturdle samoida. Samudero, Tring Eng. 1802 (1809 + 414 S Furupe







Polydictva mamuata, Distore True L Flat Sci. 1875, p.303 Nest Africa







Rhytmotus squamulosus *Broun,Man.N. Zeal. Coleopt.,(1880),p. 204* New Zealand





Eraimur en is pransmaduatus, Martine Art May Miller II. (1919, 47) Aman n.





Peribasis princeps,
Pascoe, Ann & Mag N. Hist. Jl. (1877), p. 373
Labuan






Callimerus pulchellus Gorham.Cist.Ent.,II(1876),p.67. Philippine Islands





Purlisa gigantea. *Distant Ent Mo Mag XVII (1881),p 245* Penang






Silver terrese, mar Employa in the AppEntal Collection of accounts





Carlinodes rampes Butler, Ent. Mo Mag., XIV, (1877).p 109 Queensland






Larva


Tesseratoma æthiops, Distant Er t Mc.Mag, XIV,(1877/pEX W.Africa






Aphana novemmaculata Distant,Trans.Ent. Soc.[1878],p.323 W.Africa






Styphloderma asperatum, Waterhouse, Ann & Mag. N. Hist XX (1877).p. 424 Lake Nyassa.


















.A.

Descriptore mercea Elicabrithm Zool Soc,(1878); zei Colombia





Opsiphanes bogotanus, *Distant,Ent.Mo.Mag,XI. (1875) p 203.* Bogota





Pergesa castanea. M. m., Fr. z. Zool. Soc., (1872), p. 56. Bombay







Antispila. Rivillei , Stainton, Trans. Ent. Soc., III. (1855). p. 89. S. Europe .





insmosparta amaamana. Listana Trons Ent See "3578)µ 176. Andamar. Is






Eupœcıla eburneoguttata, Elunchard, Cat. Mus. Paris, (1850) p.23 Queensland










Cyclopeplus cyaneus, Thomson, Classif. Longic., (1860).p.33 Amazons.









Histioëa Meld.læ, Butler: Journ.Linn Soc.XII (16.70); 1016 Inacidad





Stigmonota erectana, *Barrett,Ent.Mo.Mag,XII.(1875).p* 8 England





Euthore mirabilis, 8<sup>t</sup>. M<sup>o</sup>Lachlan, Trans. Ent Soc., (1878), p.87. Ecuador





Euthore mirabilis.?. McLachlan,TransEnt Soc,(1878)p.87 Ecuador.





Helcopteryx rhodiogramma, *Aumbur, Hist Nat. Ins. Newr.,(1842).p.355.* Natal.







Parastatis indica , *Kirby Ent. Mo. Mag.,XVIII ,(1881),p.107.* India .






Inadesia antercina. Malanci, Pro-Ibril Scott (509): Tib El Efrica






Protopance dalica, distribution Ent. Sec. (1877)p 743 Comada






Osmylus Langii , *M<sup>o</sup>Lachlan,Ent.Mo.Mag,71. (1870).p.197.* Masuri .





Feslerhande many go. i chark, ks. His II 1377 1042 No scapus





Genecerus cervinus, *Walker, Coleopt. collected by J. K. Lord, (1871),p.14* Egypt









Copturus eximius, Pascoe, Ann & Mag Nat Hist ,V. (1880)p.498 Colombia.



Lander Court Color of Lord, 1919, and Lander Color of Lord, 1919, and Lander of the Color of Lord, 1919, and





Epanus Pusio,
Euro 44 novas Line Co. III. (1569), p. 567
Singapore





Fan Barrell Fan South Wales New South Wales






Scolitantides plumbea, Butler, Trans. Ent. Soc.,(1881),p.486. Chili





Butleria sotoi, Reed,Mon.Mariposas Chilenas,(1877),p.86. Chili.



Aid. ~ 81




Hylotoma interstitialis, Cameron,Trans.Ent.Soc.,(1877),p91. India.





Euagona juno , *Distant Trans Ent. Soc. (1881),p394* Peru





Pœciloptera consociata, Walker, Journ.of Ent.I.(1862),p.314 Batchian



Aid. 84



Chrysochroa Lordi, Walker, Coleopt. coll. by J.K.Lord, (1871),p.13. Egypt





Callifanger in involution vor. in Osmila, Ent. I., 1875/p. 381 Philippine Is





n de la completa de l En completa de la co






Butleria canquenensis, Heed, Mon. Mariposas Chilenas, (1877), p.87 Chili






Antheræa macrophthalma., *Kirby, Ent. Mo. Mag, XVIII. (1881),p. 146* West Africa.






Catocephala? nigrosignata, Philippi,Linn.Ent.,XIV, (1860),p. 285 Chili





Millianum and and single to the control of the cont





Harmostes incisuratus, Distant, Trans. Ent. Soc., (1881), p.395. Colombia






Cheniula china. Pasaro, Journ of Ent I (2014) 39 Mareta, Esp





Production of the Control of the Con





leannostoma mosureta, O. Jursen Car Ent II, (1878), 292 Calfrena





Nascio carissima, Auterhous sina si kara side kisa Nasas kara North Australia





Butleria vicina, *Reed, Mon. Mariposas. Chilenas,(1877),p.55.* Chih





The substitute of the substitu





Crmiscodes crinita,8°. *planchard,Gay's Hist de Chilo,VII, (1854),p.61* . Chili .






217 al.





Trada manuficas Lumb Transzer Sv., Vicipasi Pur Islans














SMITHSONIAN INSTITUTION LIBRARIES

3 7088 00356513 2

nhent QL463.W3
v. 1 Aid to the identification of inse